


mining chart



wheel loader buckets up to 44m³

guide to nose sizes


SITE WORKING CONDITIONS



face shovel buckets up to 42m³

guide to nose sizes

SITE WORKING CONDITIONS



backhoe excavator buckets up to 42m³

guide to nose sizes

SITE WORKING CONDITIONS



UNDERCARRIAGE

MACHINE FEATURES		EXCAVATOR MODEL					
HP/KW			363	382	700	750	
LINK PITCH				260			
WEIGHT			80TN	85TN	120-170TN	180-200TN	200-300TN
CATERPILLAR				385CFS/390D	6018/RH90C	6030/RH120E	6040/RH170B
TRACK LINK				*			
TRACK SHOES				*			
TRACK ROLLERS				*			
CARRIER ROLLER				*			
SEGMENT GROUP				*			
IDLERS				*			
KOMATSU			PC800	PC850	PC1250	PC2000	PC3000
TRACK LINK			*	*	*	*	
TRACK SHOES			*	*	*	*	
TRACK ROLLERS			*	*	*	*	
CARRIER ROLLER			*	*	*	*	
SPROCKETS			*	*	*	*	
IDLERS			*	*	*	*	
HITACHI				EX1200	EX1800	EX1900	
TRACK LINK					*	*	
TRACK SHOES					*	*	
TRACK ROLLERS					*	*	
CARRIER ROLLER					*	*	
SPROCKETS					*	*	
IDLERS					*	*	

MACHINE FEATURES		BRAND		BULLDOZER MODEL			
HP/KW				310HP	410HP	580HP	850HP
LINK PITCH				215-228	240-260	260-280	317
WEIGHT				40TN	50 TN	70TN	105TN
CATERPILLAR				D8/T/N	D9/N/R	D10/T/N/R	D11/T/R/N
TRACK LINK				*	*	*	*
TRACK SHOES				*	*	*	*
TRACK ROLLERS				*	*	*	*
CARRIER ROLLER				*	*	*	*
SEGMENT GROUP				*	*	*	*
IDLERS				*	*	*	*
KOMATSU				D155AX-6	D275AX-5	D375A-6	D475A-5
TRACK LINK				*	*	*	*
TRACK SHOES				*	*	*	*
TRACK ROLLERS				*	*	*	*
CARRIER ROLLER				*	*	*	*
SPROCKETS				*	*	*	*
IDLERS				*	*	*	*



**underground
mining LHD**



**guide to
part sizes**

TYPE/ BRAND	UNDERGROUND MINING					
	1,3 - 3,5	2,4 - 3,7	3,3 - 5,9	4,6 - 7,5	6,7 - 8,9	8,3 -12, 8
BUCKET CAPACITY M3	1,3 - 3,5	2,4 - 3,7	3,3 - 5,9	4,6 - 7,5	6,7 - 8,9	8,3 -12, 8
LIP THICKNESS	32			50		
MACHINE WEIGHT	3 - 4	7	10	12-14	17-18	20-21
CATERPILLAR		R1300G	R1600	R1700	R2800 R2900	R3000
SANDVIK	LH204	LH307	LH410	LH512 LH514 LH517	LH621	LH625E
ATLAS COPCO		ST7	ST1020	ST1030 ST1520	ST1800	
SANDVIK TORO		T-6	T-7	T-9	T-10	T-11
FUTURA LHD SYSTEM	F32			F50		